

MODERN AND ENERGY EFFICIENT LED LIGHTING
2017



garden
LIGHTS

garden LIGHTS

CONSTRUCTION OF LAMP RGB

SPECIAL MATERIAL

TO CREATE A LAMP RESISTANT TO SCRATCHES
WE USED PE-POLYETHYLENE.

2835 DIODES SMD

DIODES PRODUCED BY RECOGNIZED GLOBAL MANUFACTURER.

EPISTAR

SECURE ELECTRONICS

THE ELECTRONIC COMPONENTS ARE ADDITIONALLY
PROTECTED BY A WATERPROOF HOUSING.

IP68

INTERNATIONAL PROTECTION MARKING IP68

WATERPROOF GASKET FOR DUAL PROTECTION, ENSURES
THE REQUIRED SECURITY.


WIRELESS CHARGER

THIS KIT ALLOWS CHARGING WITHOUT CONNECTING.
JUST PUT THE LAMP ON THE CHARGER TO BEGIN THE
PROCESS OF CHARGING THE BATTERY.

RGB REMOTE CONTROL

IT ALLOWS YOU TO TURN ON / OFF LIGHTS, COLOR
CHANGE, AND THE CHANGE OF BRIGHTNESS.

WARRANTY
2 YEARS



MOUNTING

HE HANDLE WITH STANDARD FITTING, ALLOWS YOU TO
HANG THE LAMP. ADDITIONALLY, THE SET CONTAINS
SO-CALLED „SPIKE“, WHICH POUNDED TO THE GROUND
PROTECTS THE LAMP FROM MOVING.



PRODUCER OF LEDS




EPISTAR

MANUFACTURER OF PAINT

AkzoNobel

GARDEN LIGHTS IS A BRAND THAT COMBINES MODERN AND ENERGY-EFFICIENT LED LIGHTING WITH WORLD-CLASS PRODUCTS AND ON UNIQUE DESIGN.

OUR PRODUCTS ARE DISTINGUISHED NOT ONLY BY STUNNING FINISH, BUT ALSO WIDE RANGE OF APPLICATIONS. WITH LAMPS GARDEN LIGHTS YOUR TERRACE, GARDEN OR PATIO WILL GAIN A MODERN CHARACTER.





LED TYPE: SMD • LIFESPAN: 50000 H • BEAM ANGLE: ~300° • NO. OF SWITCHING CYCLES: 20000 • DIMMABLE: YES • RATED VOLTAGE/CURRENT: 5V / 1,5A • BATTERY: 2200 MAH LITHIUM RECHARGEABLE
INCLUDED: • BATTERY • CHARGER • REMOTE CONTROLLER



80 CM
2W / 5V

LED FLOWERPOT SQUARE 80

EAN 5901812466693

DIMENSIONS (Ø1: 300, Ø2: 400, D: 195, H: 800) MM



60 CM
2W / 5V

LED FLOWERPOT ROUND 66

EAN 5901812466709

DIMENSIONS (Ø1: 400, Ø2: 600, D: 300, H: 660) MM



96 CM
2W / 5V

LED FLOWERPOT ROUND 96

EAN 5901812466716

DIMENSIONS (Ø1: 300, Ø2: 480, D: 300, H: 960) MM



LED TYPE: SMD • LIFESPAN: 50000 H • BEAM ANGLE: ~300° • NO. OF SWITCHING CYCLES: 20000 • DIMMABLE: YES • RATED VOLTAGE/CURRENT: 7,5V / 1A • BATTERY: 2200 MAH LITHIUM RECHARGEABLE
INCLUDED: • BATTERY • CHARGER • REMOTE CONTROLLER



35 CM
2W / 7,5V



LED RGB MAGIC BALL 35

EAN 5901812466631

DIMENSIONS (ø: 350) MM

40 CM
2W / 7,5V



LED RGB MAGIC BALL 40

EAN 5901812466648

DIMENSIONS (ø: 350) MM

50 CM
2W / 7,5V



LED RGB MAGIC BALL 50

EAN 5901812466655

DIMENSIONS (ø: 350) MM

60 CM
2W / 7,5V



LED RGB MAGIC BALL 60

EAN 5901812466662

DIMENSIONS (ø: 350) MM



LEDs TYPE: **SMD** • LIFESPAN: **50000 H** • BEAM ANGLE: **~300°** • NO. OF SWITCHING CYCLES: **20000** • DIMMABLE: **YES** • RATED VOLTAGE/CURRENT: **5V / 1,5A** • BATTERY: **2200 MAH LITHIUM RECHARGEABLE**
INCLUDED : • BATTERY • CHARGER • REMOTE CONTROLLER



35 cm

2W / 5V



LED MAGIC CUBE 35

EAN 5901812468505

DIMENSIONS (L : 350) MM

40 cm

2W / 5V



LED MAGIC CUBE 40

EAN 5901812466624

DIMENSIONS (L : 400) MM

50 cm

2W / 5V



LED MAGIC CUBE 50

EAN 5901812468512

DIMENSIONS (L : 500) MM



LED TYPE: SMD • LIFESPAN: 50000 H • BEAM ANGLE: ~300° • NO. OF SWITCHING CYCLES: 20000 • DIMMABLE: YES • RATED VOLTAGE/CURRENT: 5V / 1,5A • BATTERY: 1800 MAH LITHIUM RECHARGEABLE
INCLUDED: • BATTERY • CHARGER • REMOTE CONTROLLER



RGB



IP68



IN/OUTDOOR



2 YEARS

20 CM

2W / 5V




LED MAGIC OVAL BALL 20

EAN 5901812466679

DIMENSIONS (ø: 300, H: 200) MM

30 CM

2W / 5V



LED MAGIC EGG BALL 30

EAN 5901812466686

DIMENSIONS (ø: 200, H: 300) MM




E27^{MAX}40W



230V



IP65



IN/OUTDOOR



2 YEARS

35 CM

230V E27



LIGHT BALL 35 E27

EAN 5901812466747

DIMENSIONS (ø: 350) MM

40 CM

230V E27



LIGHT BALL 40 E27

EAN 5901812466754

DIMENSIONS (ø: 400) MM

50 CM

230V E27



LIGHT BALL 50 E27

EAN 5901812466730

DIMENSIONS (ø: 500) MM




E27^{MAX40W}



230V



IP65



IN/OUTDOOR



2 YEARS

35 CM

230V E27



LIGHT CUBE 35 E27

EAN 5901812468499

DIMENSIONS (L: 350) MM

40 CM

230V E27



LIGHT CUBE 40 E27

EAN 5901812466723

DIMENSIONS (L: 400) MM

50 CM

230V E27



LIGHT CUBE 50 E27

EAN 5901812468536

DIMENSIONS (L: 500) MM




THE SIMPLE, ELEGANT FORM, AND HUGE ATTENTION TO DETAILS
- THIS IS WHAT DISTINGUISHES OUR GARDEN LIGHTING.

garden
LIGHTS


SERIES
FORUM

LEDS TYPE: **SMD** • LIFESPAN: **50000 H** • BEAM ANGLE: **~120°** • NO. OF SWITCHING CYCLES: **20000** • COLOUR LAMP: **DARK GRAPHITE** • COLOUR LIGHT: **NEUTRAL WHITE**



FORUM

6W • 4500K



DIMENSIONS

H: 60 CM

W: 12 CM

D: 5 CM


480 LM • 110-240 V • IP54

EAN [5901812466761](#)

ALUMINUM BODY

ENEO

6W • 4500K



DIMENSIONS

H: 60 CM


W: 15 CM

D1: 5 CM

D2: 9 CM

480 LM • 110-240 V • IP54

EAN [5901812466785](#)




ALUMINUM BODY



FORUM WALL

6W • 4500K



DIMENSIONS

H: 18 CM

W: 12 CM

D: 5 CM

480 LM • 110-240 V • IP54


EAN [5901812466778](#)



2 YEARS

ENEO WALL

6W • 4500K



DIMENSIONS


H: 15 CM

W: 9 CM

D: 4.5 CM


480 LM • 110-240 V • IP54

EAN [5901812466792](#)



2 YEARS


LEDs TYPE: **SMD** • LIFESPAN: **50000 H** • BEAM ANGLE: **~360°, ~240°** • NO. OF SWITCHING CYCLES: **20000** • COLOUR LAMP: **DARK GRAPHITE** • COLOUR LIGHT: **NEUTRAL WHITE**



ALUMINUM BODY

POLE

6W • 4500K



DIMENSIONS

H: 60 CM

W: 6 CM

D: 6 CM

480 LM • 110-240 V • IP54

EAN [5901812466822](#)




SERIES
POLE SIDE



POLE WALL

6W • 4500K



DIMENSIONS

H: 29 CM

W: 6,5 CM

D: 6,5 CM

480 LM • 110-240 V • IP54


EAN [5901812466839](#)



2 YEARS

POLE SIDE

6W • 4500K



DIMENSIONS


H: 22 CM

W: 9 CM

D: 12 CM


480 LM • 110-240 V • IP54

EAN [5901812466846](#)




2 YEARS

LEDS TYPE: **SMD** • LIFESPAN: **50000 H** • BEAM ANGLE: **~120°** • NO. OF SWITCHING CYCLES: **20000** • COLOUR LAMP: **DARK GRAPHITE** • COLOUR LIGHT: **NEUTRAL WHITE**



GONA

6W • 4500K



DIMENSIONS

H: 60 CM

W: 10 CM

D: 6 CM


480 LM • 110-240 V • IP54

EAN [5901812466808](#)

ALUMINUM BODY

RINGO

10W • 4500K



DIMENSIONS

H: 60 CM

W: 20 CM

D: 10 CM

800 LM • 110-240 V • IP54

EAN [5901812466853](#)




ALUMINUM BODY



GONA WALL

6W • 4500K



DIMENSIONS

H: 13 CM

W: 24 CM

D: 6 CM


480 LM • 110-240 V • IP54

EAN [5901812466815](#)



RINGO WALL

10W • 4500K



DIMENSIONS

H: 10 CM

W: 20 CM


D: 10 CM

800 LM • 110-240 V • IP54

EAN [5901812467898](#)




LEDs TYPE: SMD • LIFESPAN: 50000 H • BEAM ANGLE: ~120° • NO. OF SWITCHING CYCLES: 20000 • COLOUR LAMP: DARK GRAPHITE • COLOUR LIGHT: WARM WHITE



ELIPSE

9W • 3000K




810 LM • 220-240 V • IP54

EAN [5901812466570](#)

ALUMINUM BODY

PICUM

9W • 3000K



810 LM • 220-240 V • IP54

EAN [5901812466594](#)




ALUMINUM BODY



ELIPSE WALL

9W • 3000K




810 LM • 220-240 V • IP54

EAN [5901812466587](#)



PICUM WALL

9W • 3000K



810 LM • 220-240 V • IP54

EAN [5901812466600](#)




LEDs TYPE: SMD • LIFESPAN: 50000 H • BEAM ANGLE: ~10/35° • NO. OF SWITCHING CYCLES: 20000 • COLOUR LAMP: DARK GRAPHITE • COLOUR LIGHT: WARM WHITE



ALUMINUM BODY TEMPERING GLASS DIFFUSER COVER

CIRO

3W • 3000K



DIMENSIONS

H: 28 CM

W: 7 CM

D: 11 CM


190 LM • 220-240 V • IP65

EAN 5901812466617



CIRO WALL

7W • 3000K



DIMENSIONS

H: 18 CM

W: 7 CM

D: 11 CM

600 LM • 220-240 V • IP65


EAN 5901812467874



2 YEARS

VINI

9W • 3000K



DIMENSIONS

H: 30 CM

W: 13,5 CM

D: 5,5 CM

760 LM • 220-240 V • IP65

EAN 5901812467881



2 YEARS



POLAND

MONE LIGHT SP. Z O.O. SP.K.
32-600 OŚWIECIM UL. GOSPODARCZA 24
TEL.: +48 33 876 28 11
MOB.: +48 792 703 703

WWW.GARDEN-LIGHTS.PL

garden
LIGHTS

DYSTRYBUTOR:



CZECH REPUBLIC

SANDRIA SPOL.S.R.O.
ŽLUTAVA 5, NÁPAJEDLA 763 61
TEL.: 00420/577945854
SANDRIA@SANDRIA.CZ
WWW.MAX-LED.CZ

SLOVENIA

MEGA MIŠKA
STANEŤA SEVERJA 10
2000 MARIBOR
TEL.: +38651653185
SALES.VIENNO@GMAIL.COM
WWW.MEGAMIŠKA.EU

SLOVAKIA

IMAC S.R.O.
UL. DLHÁ 88C/1006 010 09 ŽILINA - BYTČICA
TEL.: 041/700 32 77-8
MOB.: 0903 542 982-3
IMAC@STONLINE.SK
WWW.MAX-LED.SK

GREECE

ZAGKLE ELENI
UL. KONSTANTINOUPOLIOS 129
104 47 ATHENS
TEL.: 210 88 10945
INFO@MAX-LED.GR
WWW.MAX-LED.GR

LATVIA

SIA "ENERGY GROUP LV"
RĪGA, MAZA KRASTA 83, LV-1003
TEL./FAX: +371 67281281
JEVGENIJS@ENERGYGROUPLV
WWW.ENERGYGROUPLV

PORTUGAL

GRUPAMV
RUA DO PICO DE SÃO JOÃO, 2A
9000-192 FUNCHAL - MADEIRA
TEL.: +351 291 754 756
MAXLEDPORTUGAL@GMAIL.COM

ESTONIA

SULAREK KAUBANDUS OÜ
TAMMEKURU 23
50403 TARTU
HANKA MIKK
TEL.: +37256577649

IRELAND

MAX ECO
29 ROYAL MEADOWS
KILCOCK CO. KILDARE
TEL.: +353 85 1440412
TEL.: +353 85 1198418
INFO@MAX-LED.IE
WWW.MAX-LED.IE

HUNGARY

GAZDAFI ELECTRONIC KFT.
FÜTÖ U. 59
3508 MISKOLC
TEL.: +36 70 507 2065
ISTVAN@GAZDAFI.COM
WWW.GAEC.HU

LITHUANIA

UAB "ELGRANDAS"
SAVANORIŲ PR. 192 / ŽEMGULIO G.2,
KAUNAS, LT-44151, LIETUVA.
TEL.: +370 37 330373
M.: +370 608 47787
IMPORT@ELGRANDAS.LT
WWW.ELGRANDAS.LT

AUSTRIA, CROATIA, SERBIA, BOSNIA AND HERZEGOVINA, ROMANIA, BULGARIA

ELBACOM ELEKTR. BAUTEILE
UND COMPONENTEN HANDELSOMBH
DIVISION MAX-LED

MARKTSTRASSE 1
7162 PAMHAGEN, AUSTRIA
TEL.: +43 2236 866 886 - 0
FAX: +43 2236 866 886 - 44
WWW.ELBACOM.COM
MAXLED@ELBACOM.COM